Average Number Of Unhealthy Days, Physical and Mental (Adults 65+)

Average Number Of Unhealthy Days, Physical and Mental (Adults 65+)

- •Most recent data (2014): 2 days among King County adults age 65+.
- •Trend over time: 2000-14: falling
- •Description: Number of days with poor physical or mental health during the past 30 days
- •Healthy People 2020 Goal: None listed for this indicator.

Average number of unhealthy days, physical and mental (adults 65+), King County, 2010-2014 average

2				
_	2	2		
2	2	2		
2	2	2		
2	2	3		
RACE/ETHNICITY				
1 §	0 §	3§		
1 §	0 \$	2 §		
2§	1 §	4 §		
4 §	1 §	6 §		
5\$	1 §	8 §		
*	*	*		
2	2	3		
HOUSEHOLD INCOME				
6	4	8		
3	2	4		
2	2	3		
2	1	2		
2	1	3		
1	1	2		
2	1	2		
2	1	3		
2	2	3		
3	2	3		
STATE				
3	3	3		
	2 2 2 1	2 2 2 2 2 2 2 2 2 3 3 2 2 3 3 2 2 3 3 3 2 2 3 3 3 2 2 3 3 3 2 3 3 3 2 3 3 3 3 2 3		

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

N/A: Not available.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Average number of unhealthy days, physical and mental (adults 65+) King County, 2010-2014 average



Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

§ Too few cases to meet precision standard, interpret with caution.
Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

Average number of unhealthy days, physical and mental (adults 65+) by health reporting areas, King County, 2010-2014 average

	Mean	Lower Cl	Upper Cl
King County (age 65+)	2	2	2
Aubum	3	1	5
Auburn-North	4 §	1 §	6 §
Auburn-South	2 §	0 §	3 §
Bear Creek/Carnation/Duvall	1\$	0 §	2§
Bellevue	2	1	2
Bellevue-Central	3 §	1 \$	4 §
Bellewe-NE	2\$	1 \$	3§
Bellevue-South	1 \$	0 §	2 §
	1 \$	0 §	3 §
Bellevue-West Black Diamond/Enumclaw/SE County	1 5	2	5
Bothell/Woodinville	3 §	1 §	5 5§
Burien	4	2	9.8
Covington/Maple Valley	3	1	5
Des Moines/Normandy Park	2 §	1 \$	3 §
East Federal Way	Z 3	*	*
Fairwood	3 §	1 §	4 §
Federal Way	3 3	1 1 3	4 9
Fed Way-Central/Military Rd	2 §	1 §	4 4 §
	3 §	1 \$	
Fed Way-Dash Point/Woodmont	1 §	0 §	5 §
Issaquah			2 §
Kenmore/LFP	2 §	0 \$	3 \$
Kent	3	2	5
Kent-East	3 §	-1 §	7 §
Kent-SE	3	2 *	5 *
Kirkland	1	1	2
Kirkland	1 §	0 §	2 §
Kirkland North			3§
	2 \$	1 §	
Mercer Isle/Pt Cities	2 §	1 §	3 \$
Newcastle/Four Creeks	1 § *	0 §	1 §
North Highline	2		
Redmond Renton	1	1	2
Renton-East	*	*	*
Renton-North	1 §	0 §	2 §
Renton-South	1 \$	0 \$	2 §
Sammamish	38	1§	5 §
SeaTac/Tukwila	3 \$	-1 § 2	6 §
SeattleBallard	2 2 \$	1 §	3 4 §
BailardBeacon/Gtown/S.Park		1 ⁸	*
Capitol Hill/E.lake	2 §	0 §	3 §
Capitol Hill/E.lake	<u> </u>		
	3 \$	1 §	5 §
Delridge	3 \$	0 §	5 §
Downtown	4 \$	0 \$	8 \$
Fremont/Greenlake	2	1	3
NE Seattle	2	1	3
North Seattle	4 §	2 §	6 §
NW Seattle	2	1	3
QA/Magnolia	2 1§	1 0.8	3
SE Seattle		0 \$	1 §
West Seattle Shoreline	3	1 1	2
Snoqualmie/North Bend/Skykomish	2 §	1 §	4 §
Vashon Island	2 §	0 §	3 §

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.


CI is 95% Confidence Interval.

 \S Too few cases to meet precision standard, interpret with caution.

 $Persons \ of \ Hispanic \ ethnicity \ can \ be \ of \ any \ race \ and \ are \ included \ in \ the \ racial \ categories.$

^{*} Too few cases to protect confidentiality and/or report reliable rates.


Average number of unhealthy days, physical and mental (adults 65+) by health reporting areas, King County, 2010-2014 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Average number of unhealthy days, physical and mental (adults 65+) King County, 2000-2014, three-year rolling averages



Trends over time: King County (2000-14: falling); East KC (2000-14: flat); North KC (2000-14: falling); Seattle (2000-14: flat); South KC (2000-14: flat); Washington State (2000-14: flat) Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 07/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

